

December 1, 2021

Revision History

Drug Name	Description	Policy Effective Date
Levonorgestrel and Ethinyl	Transdermal patches added	October 1, 2021
Estradiol	with quantity limit restrictions.	
Cefixime	Maximum milligram per	June 1, 2021
	dispensing updated.	
Lactic Acid, Citric Acid,	Added with quantity and	July 1, 2021
Potassium Bitartrate	labeler restrictions.	

The following is a list of both prescription and over-the-counter drugs and contraceptive supplies that are reimbursable for pharmacy dispensing through the Family Planning, Access, Care and Treatment (Family PACT) Program. Guidelines for pharmacy and onsite dispensing may differ for some drugs. Restrictions are noted throughout this formulary. The use of these drugs outside of the specified conditions is not reimbursable.

For specific coverage criteria for oral contraceptives and ulipristal acetate emergency contraceptive, refer to the <u>Contract Drugs List</u> via the <u>Medi-Cal Rx Provider Portal</u>. For specific coverage criteria for levonorgestrel emergency contraceptives, refer to the <u>Contract Drugs List – Over-the-Counter Drugs</u> via the <u>Medi-Cal Rx Provider Portal</u>.

Reimbursable regimens for the management of covered family planning-related conditions are listed in the *Treatment and Dispensing Guidelines for Clinicians* section of the <u>Benefits Grid</u> section of the <u>Family PACT Policies</u>, <u>Procedures</u>, and <u>Billing</u> <u>Instructions Manual</u>.

Drugs marked with a symbol (†) require a Prior Authorization (PA) for use in the treatment of the specified condition or complications of contraceptive methods and those arising from treatment of covered family planning-related conditions.

Documentation of the condition or complication with the appropriate ICD-10-CM code must accompany the PA. For additional information, refer to the Family PACT Policies, Procedures, and Billing Instructions Manual.

Utilization Management Types

Code	Description
QL	Quantity limit: claim will reject if defined quantity limits are exceeded.
LR	Labeler restriction: claim must reflect indicated labeler code for claim to pay.



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
		A	NTI-FUN	GALS	
Clotrimazole	Vaginal Cream	1 percent 2 percent	gm gm	QL	For use in the treatment of vaginal candidiasis, and one (1) dispensing in 30 days.
					 Vaginal cream (1 percent cream): maximum one (1) unit per dispensing (maximum 7 days supply), or Vaginal cream (2 percent cream): maximum one (1) unit per dispensing (maximum 3 days supply).
Fluconazole	Tablets	150 mg	ea	QL	For use in the treatment of vaginal candidiasis. Restricted to one dose in 30 days.
Miconazole Nitrate	Vaginal Suppositories Vaginal Cream	100 mg 200 mg 2 percent 4 percent	ea ea gm gm	QL	For use in the treatment of vaginal candidiasis. Maximum one (1) unit (cream or pack) per dispensing, and one (1) dispensing in 30 days. • Vaginal suppositories (100 mg): maximum 7 days supply. • Vaginal suppositories (200 mg): maximum 3 days supply.





Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
(continued)					 Vaginal cream (2 percent): maximum 7 days supply. Vaginal cream (4 percent): maximum 3 days supply.
Terconazole †	Vaginal Cream Vaginal Suppositories	0.4 percent 0.8 percent 80 mg	gm gm ea	QL	For use in complicated cases of vaginal candidiasis, after treatment failure with other anti-fungals. PA required. Maximum of one (1) unit (tube or pack) per dispensing, and one (1) dispensing in 30 days. • Vaginal cream (0.4 percent): maximum 7 days supply. • Vaginal cream (0.8 percent): maximum 3 days supply. • Vaginal suppositories: maximum 3 days supply.
		AN	ITI-INFEC	TIVES	
Azithromycin	Powder Packet	1 gm	ea	QL	For use in the treatment of chlamydia: maximum of 6 grams per dispensing.
	Tablets/ Capsules	500 mg	ea		



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
(continued)					For use in the dual treatment of gonorrhea
					regardless of the chlamydia test results:
					maximum of 6 grams per dispensing.
					For use in the dual treatment of gonorrhea in
					the case of significant anaphylaxis-type allergies
					to penicillin or allergies to cephalosporin:
					maximum of 12 grams per dispensing.
					For use in the treatment of PID: maximum of 2
					grams per dispensing (maximum of 2 week supply).
					Two (2) dispensings in rolling 30 days.
Cefixime	Tablets/	400 mg	ea	QL	For the use in the treatment of gonorrhea.
	Capsules				
					Maximum of 4,800 mg per dispensing, and one
					(1) dispensing in 15 days.



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
Cephalexin †	Capsules	250 mg 500 mg	ea ea	QL	For use in the treatment of UTI in females.
					Maximum of 40 capsules (250 mg) or 20 capsules (500 mg) per dispensing (maximum 10 days supply), and one (1) dispensing in 15 days.
					Note : A PA is required for use in the treatment of skin infection as complication from implant insertion and surgical sterilization. Restricted to a maximum quantity of 56 capsules (500 mg) per dispensing, for a maximum 14 days supply.
Ciprofloxacin HCI	Tablets	250 mg	ea	QL	For use in the treatment of UTI in females. Maximum of six (6) tablets per dispensing (maximum 3 days supply), and one (1) dispensing in 15 days.



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
Clindamycin	Capsules	150 mg	ea	QL	For use in treatment of bacterial vaginosis.
Hydrochloride †		300 mg	ea		
					Maximum of 28 capsules (150 mg) or 14
					capsules (300 mg) per dispensing (maximum 7
					days supply), and one (1) dispensing in 15 days.
					Note: A PA is required for use in the treatment
					of skin infection as complication from implant
					insertion and surgical sterilization. Restricted to
					a maximum quantity of 56 capsules (300 mg) for
					a maximum 14 days supply.
Clindamycin	Vaginal Cream	2 percent	gm	QL	For use in the treatment of bacterial vaginosis.
Phosphate					
	Vaginal	100 mg	ea		Maximum of one (1) unit per dispensing and
	Suppositories	(in 3's)			one (1) dispensing in 30 days.
	(ovules)				Vaginal cream 2 percent maximum 7 days
					supply, or
					Vaginal suppositories (ovules): maximum 3
					days supply.



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
Doxycycline Hyclate	Capsules/ Tablets	100 mg	ea		For use in the treatment of chlamydia: maximum of 84 tablets per dispensing, and two (2) dispensings in rolling 30 days.
					For use in the treatment of PID as a combination therapy: maximum of 28 tablets per dispensing (maximum 14 days supply), and two (2) dispensings in rolling 30 days.
					 For use in the treatment of syphilis: one (1) dispensing in 30 days: Primary, secondary, early latent: maximum 28 tablets per dispensing (maximum 14 days supply). Late latent, unknown duration: maximum 56 tablets per dispensing (maximum 28 days supply).




Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
Doxycycline Monohydrate	Capsules	100 mg	ea	QL	For use in the treatment of chlamydia: maximum of 84 tablets per dispensing, and two (2) dispensings in rolling 30 days. For use in the treatment of PID as a combination therapy: maximum of 28 tablets per dispensing (maximum 14 days supply), and two (2) dispensings in rolling 30 days.
					 For use in the treatment of syphilis: one (1) dispensing in 30 days: Primary, secondary, early latent: maximum 28 tablets per dispensing (maximum 14 days supply). Late latent, unknown duration: maximum 56 tablets per dispensing (maximum 28 days supply).
Metronidazole	Oral Tablets	250 mg 500 mg	ea ea	QL	For use in the treatment of bacterial vaginosis:Oral tablets: maximum of 28 tablets (250 mg)
					or 14 tablets (500 mg) per dispensing
	Vaginal Gel	0.75 percent	gm		



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
(continued)					 (maximum 7 days supply), and one (1) dispensing in 15 days, or Vaginal gel: maximum of one (1) unit per dispensing (maximum 5 days supply), and one (1) dispensing in 30 days
					For use in the treatment of trichomoniasis: maximum of 12 gm total per dispensing, or 84 tablets (500 mg) per dispensing, and one (1) dispensing in 15 days.
					For use in the treatment of PID/myometritis as combination therapy: maximum of 56 tablets (250 mg) or 28 tablets (500 mg) per dispensing (maximum 14 days supply), and one (1) dispensing in 30 days.
Moxifloxacin †	Tablets	400 mg	ea		For use in the treatment of persistent or recurrent nongonococcal urethritis or cervicitis that has not responded to treatment with azithromycin. PA required.



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
Nitrofurantoin	Capsules	50 mg	ea	QL	For use in treatment of urinary tract infection
	(macrocrystals only)	100 mg	ea		(UTI) in females.
	Capsules (monohydrate macrocrystals only)	100 mg	ea		
	Tablets	50 mg	ea		Maximum of ten (10) tablets per dispensing
		100 mg	ea		(maximum 5 days supply) and one (1)
					dispensing in 15 days.
Ofloxacin	Tablets	200 mg	ea	QL	For use in the treatment of PID/myometritis.
		400 mg	ea		
					Maximum of 56 tablets (200 mg) or 28 tablets
					(400 mg) per dispensing (maximum 14 days
					supply), and one (1) dispensing in 30 days.
Sulfamethoxazole and Trimethoprim	Tablets	400mg/80 mg	ea	QL	For use in the treatment of UTI in females.
	Tablets, Double	800mg/160	ea		Maximum of 12 tablets (400 mg/80 mg) or six
	Strength	mg			(6) tablets (800 mg/160 mg) per dispensing
					(maximum 3-day supply), and one (1) dispensing
					in 15 days.





Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
Tinidazole	Tablets	250 mg	ea	QL	For use in the treatment for vaginal
		500 mg	ea		trichomoniasis when there are documented
					treatment failures or adverse events (not allergy)
					with prior use of Metronidazole.
					Maximum of 48 tablets (250 mg) or 24 tablets
					(500 mg) per dispensing, and one (1) dispensing
					in 15 days.
			ANTI-VIR	AL	
Acyclovir	Capsules	200 mg	ea	QL	For use in the treatment of genital herpes.
	Tablets	400 mg	ea		Primary or recurrent genital herpes: maximum of
		800 mg	ea		50 capsules (200 mg) or 30 tablets (400 mg) per
					dispensing (maximum 10 days supply). One (1)
					dispensing in 30 days.
					Recurrent genital herpes: maximum of 10 tablets
					(800 mg) per dispensing (maximum 5 days
					supply). One (1) dispensing in 30 days.
					Suppression of recurrent genital herpes:
					maximum of 60 tablets (400 mg) per dispensing



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
(continued)					(maximum 30 days supply). One (1) dispensing in 22 days.
		CONTRA	CEPTIVE	INJECTI	ION
Medroxyprogester one Acetate	Injection	150 mg	ml	QL	Limited to one per client, per 80 days. For pharmacist administration.
	Prefilled Syringe	150 mg	ml		
		CONTRACEPTI	VE TRAN	SDERM	AL PATCH
Levonorgestrel and Ethinyl Estradiol	Transdermal Patch	120 mcg/30 mcg	ea	QL	Maximum dispensing quantity of up to 52 patches per client. The maximum quantity is intended for clients on a continuous cycle. A 12-month supply of the same product of contraceptive patches may be dispensed twice in one year. A PA is required for the third supply of up to 12 months of the same product requested within a year.
Norelgestromin and Ethinyl Estradiol	Transdermal Patch	6 mg/0.75 mg 4.86 mg/ 0.53 mg	ea ea	QL	Maximum dispensing quantity of up to 52 patches per client. The maximum quantity is intended for clients on continuous cycle.



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
(continued)					A 12-month supply of the same product of
					contraceptive patches may be dispensed twice
					in one year. A PA is required for the third supply
					of up to 12 months of the same product
					requested within a year.
		CONTRACI	EPTIVE V	AGINAL	RING
Etonogestrel and	Vaginal Ring	0.120 mg/	ea	QL	Maximum dispensing quantity of up to 13 rings
Ethinyl Estradiol		15 mcg/day			per client. The maximum quantity is intended for
					clients on continuous cycle.
					A 12-month supply of the same product of
					contraceptive vaginal rings may be dispensed
					twice in one year. A PA is required for the third
					supply of up to 12 months of the same product
					requested within a year.
		INTRAUTER	RINE CON	ITRACEI	PTIVES
Copper	Carton	1 unit	ea		Note: For additional information, providers may
Intrauterine					refer to the <u>Pharmacy Reimbursable Physician</u>
Contraceptive					Administered Drugs. Contact information for the
					ParaGard Specialty Pharmacy may be found on
					the ParaGard website at www.paragard.com. For



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions	
(continued)					ordering information, providers may refer to the	
					ParaGard Specialty Pharmacy ^{s™} section on the	
					Welcome to the ParaGard Program website at	
					www.paragardbvsp.com.	
Levonorgestrel-	Carton	19.5mg/1unit	ea		Note: For additional information, providers may	
Releasing					refer to the <u>Pharmacy Reimbursable Physician</u>	
Intrauterine					Administered Drugs. Kyleena® is obtained	
System					through a specialty pharmacy. Additional	
					information regarding Bayer Women's	
					HealthCare Specialty Pharmacy Program is	
					available on the Bayer web page Kyleena	
					Ordering & Reimbursement.	
EMERGENCY CONTRACEPTIVE						

Refer to the <u>Contract Drugs List Over-the-Counter Drugs</u> section.

HORMONE							
Estradiol	Tablets	0.5 mg	ea	QL	For use in the treatment of abnormal vaginal		
		1 mg	ea		bleeding in hormonal contraceptive users.		
		2 mg	ea				
					Maximum 10 days supply and one dispensing in		
					30 days.		



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions			
	CONTRACEPTIVE SUPPLIES							
Thermometer			ea	QL	One (1) unit per client, per year.			
Basal Body								
Temperature								
Cervical Cap			ea	QL	Limited to one (1) cervical cap per dispensing,			
					and two (2) cervical caps per client, per year.			
Condoms			ea	QL	Male: maximum of 36 condoms per client, per			
					any 27-day period, any provider.			
					Internal: no more than 12 condoms per claim			
					and no more than two claims in a 90-day period.			
Diaphragm	Diaphragm Kit		ea	QL	One (1) diaphragm per client in any 365-day			
					period, any provider.			
Lubricating Jelly			gm	QL	Contraceptive supplies are limited to three (3)			
					refills per any 75-day period.			
		MI	SCELLAN	EOUS				
Heparin †			ea	QL	Note: A PA is required for use in the treatment			
					of deep vein thrombosis or pulmonary			
					embolism as complication following the use of			
					hormonal contraception. Limited to pharmacy			
					dispensing and one (1) treatment of no more			
					than 180 days per client, any provider.			





Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
Probenecid	Tablets	500 mg	ea	QL	For use as combination therapy in the treatment
					of PID/myometritis.
					Maximum of two (2) tablets per dispensing
					(maximum 1-day supply), and one (1) dispensing
					in 30 days.
Warfarin Sodium †			ea	QL	Note: A PA is required for use in the treatment
					of deep vein thrombosis or pulmonary
					embolism as complication following the use of
					hormonal contraception. Limited to pharmacy
					dispensing and one (1) treatment of no more
					than 180 days per client, any provider.
		ORAL	CONTRA	CEPTIVE	S
		Refer to the C	ontract D	rugs Lis	<u>t</u> section.
		:	SPERMIC	IDE	
Nonoxynol 9	Cream –		ea	QL	Contraceptive supplies are limited to three (3)
	with or without				refills per any 75-day period.
	applicator or				
	refill				



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions
(continued)	Foam – with or without applicator or refill		ea		
	Gel – with or without applicator or refill		ea		
	Suppositories – with or without applicator		ea		
	Inserts		ea		
	Vaginal Sponge		ea		
	Contractive Sponge		ea		



Drug Name	Dosage Form	Strength/ Package Size	Billing Unit	UM Type	Restrictions				
	TOPICALS								
Imiquimod	Cream	5 percent	ea	QL	For use in the treatment of external genital				
Podofilox	Carton Topical Gel	19.5 mg/ 1 unit 0.5 percent	packet ea gm	QL	warts. Maximum quantity of 12 packets per 30 days. Limited to 48 packets per treatment and 96 packets (two treatments) per 365 days. For use in the treatment of external genital				
1 odomox	Topical Solution	0.5 percent	gm	Q.L	warts. Maximum of one (1) unit per dispensing (maximum 28 days supply), and one (1) dispensing in 30 days.				
		VAGINA	AL PH MC	DULAT	OR				
Lactic Acid, Citric Acid, Potassium Bitartrate	Vaginal Gel	lactic acid (1.8%), citric acid (1%), and potassium bitartrate (0.4%), 5 gm, 12 x 5 grams	gm	LR, QL	One (1) box (12 single-use applicators) per dispensing. Limited to three (3) dispensings per any 75-day period. Restricted to NDC labeler code 69751. Note: Bill using outer package NDCs for proper reimbursement				